

AMENDMENTS

Amendments to the Claims:

- 1-2. (Canceled)
3. (Currently Amended) A package for storing discs comprising:
 - a) a stacked array of disc trays joined along a spine and defining a stack top, a stack bottom and a stack height; and
 - b) a cover having a front portion and a back portion that are separated by a cover spine having a width equal to the stack height, the back portion of the cover including a strip section that is connected to the cover spine along a first hinge line and a back cover section that is connected to the strip section along a second hinge line, the first hinge line being disposed proximate a corner of the stack bottom with the cover in a closed position, wherein the back cover section is fixedly attached to the stack bottom and the front portion and strip section of the cover are free from attachment to the stack and may be separated from engagement with the stack when the cover is pivoted about the first and second hinge axis and moved into an open position.
4. (Previously Presented) A package as recited in Claim 3, wherein the trays are substantially planar.
5. (Previously Presented) A package as recited in Claim 3, wherein the cover is formed from a single ply substrate.
6. (Previously Presented) A package as recited in Claim 3, wherein the back cover section is adhered to the stack bottom.
7. (Currently Amended) A package for storing articles comprising:

- a) a stacked array of substantially planar elements joined along a spine and defining a stack top, a stack bottom and a stack height; and
 - b) a cover having a front portion and a back portion that are separated by a cover spine having a width equal to the stack height, the back portion of the cover including a strip section that is connected to the cover spine along a first hinge line and a back cover section that is connected to the strip section along a second hinge line, the first hinge line being disposed proximate a corner of the stack bottom with the cover in a closed position, wherein the back cover section is fixedly attached to the stack bottom and the front portion and strip section of the cover are free from attachment to the stack and may be separated from engagement with the stack when the cover is pivoted about the first and second hinge axis and moved into an open position.
8. (Currently Amended) A method for making a package for storing discs comprising the steps of:
- a) providing a stacked array of substantially planar elements;
 - b) joining the stacked array of substantially planar elements along a spine so as to define a stack top, a stack bottom and a stack height;
 - c) providing a cover having a front portion and a back portion that are separated by a cover spine having a width equal to the stack height, the back portion of the cover including a strip section that is connected to the cover spine along a first hinge line and a back cover section that is connected to the strip section along a second hinge line, the first hinge line being disposed proximate a corner of the stack bottom with the cover in a closed position; and

- d) fixedly attaching the back cover section to the stack bottom such that the front portion and strip section of the cover are free from attachment to the stack and may be separated from engagement with the stack when the cover is pivoted about the first and second hinge axis and moved into an open position.
- 9. (Previously Presented) The method as recited in Claim 8, wherein the step of fixedly attaching the back cover section to the stack bottom includes the step of applying an adhesive to the stack bottom and/or the back cover section.
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Currently Amended) A package for storing discs comprising;
 - a) a stacked array of disc trays joined along a spine and defining a stack top, a stack bottom and a stack height; and
 - b) a cover having a front portion and a back portion that are separated by a cover spine having a width equal to the stack height, the back portion of the cover including a strip section that is connected to the cover spine along a first hinge line and a back cover section that is connected to the strip section along a second hinge line, the first hinge line being disposed proximate a corner of the stack bottom with the cover in a closed position, wherein the back cover section is fixedly attached to the stack bottom and the front portion of the cover is free from direct attachment to the stack and is separated from engagement with the stack when the front portion of the cover moved into an open position,

wherein with the package placed on a flat surface, and having less than half of the disc trays

moved into an open position adjacent the front cover portion, the strip section remains in
facing contact with and parallel to the stack bottom, and

wherein with the package placed on a flat surface, and having more than half of the disc trays

moved into an open position adjacent the front cover portion, the strip section moves
away from facing contact with the stack bottom.

13. (Cancelled)

14. (Cancelled)

15. (Previously Presented) A package as recited in Claim 12, wherein the trays are
substantially planar.

16. (Previously Presented) A package as recited in Claim 12, wherein the cover is formed
from a single ply substrate.

17. (Previously Presented) A package as recited in Claim 12, wherein the back cover section
is adhered to the stack bottom.